Traffic

Wood





Great value 100% recyclable PE foam wood underlay with moisture protection

Flooring lasts longer

With the perfect level of support, UniBase Silver protects your floor from excess wear and high impact damage – for a great looking floor for years to come!

Easy to fit

The lightweight material makes it a breeze to lift, move around and cut...all of which saves time and effort during installation.

Protects against damp

Don't worry about moisture rising up from the sub-floor – the metallised silver vapour barrier protects your floor covering and keep your room dry as a bone.



Best for



*Suitable for hotels and public buildings

Available in

Code	QAU-UBS-01		
Size	1m x 10m (10m ²)		
Thickness	2mm		
Code	QAU-UBS-02		
Size	1m x 15m (15m ²)		
Thickness	2mm		
Code	QAU-UBS-03		
Size	1m x 15m (15m ²)		
Thickness	2.5mm		

Technical Data

recinical Data			
Properties	Unit	Value	Method
Density	kg/m³	20 <u>+</u> 2.0	internal
Impact Sound Reduction	dB	<u>~</u> 19 (2mm)	BSEN ISO-140-8
Temperature Stability (unloaded)	°C	75	internal
Thermal Conductivity of PE Foam measured at 10°C	W/m k	0.045	DIN 4108
Thermal Resistance of PE Foam	m² k/W	0.044 (2mm)	DIN 4108
Vapour Diffusion Resistance	m	<u>></u> 100	DIN EN ISO 12572
Maximum Compression Load	kN/m²	<u>≤</u> 2.0	DIN EN 1606
Resistance to Compression at 25% deformation	to/m²	<u>~</u> 2.0	DIN 53 577
Tensile Strength, lengthwise*	N/mm ²	<u>≥</u> 0.30	DIN 53 571
Tensile Strength, crosswise*	N/mm ²	<u>></u> 0.15	DIN 53 571
Elongation at break, lengthwise*	%	<u>~</u> 100	DIN 53 571
Elongation at break, crosswise*	%	<u>~</u> 80	DIN 53 571

QA Flooring Solutions Ltd

Block H, Pickerings Road, Widnes, Cheshire WA8 8XW Tel: 0151 495 3434 Fax: 0151 420 9062 Email: sales@qaflooringsolutions.com www.gaflooringsolutions.com The information given above may vary and is partly based on information from our suppliers. It represents the prevailing level of expertise and is not binding in a legal sense. The compliance of legal requirements lies within the customers own responsibility.

Simply Better