

The Essential Directory

Issue 25



QA Flooring Solutions is one of the world's leading manufacturers and distributors of LVT flooring, underlay and accessories.

We are an established UK manufacturer and distributor of a wide range of flooring underlay and accessories. Our large stockholding at our distribution centre means we have the capacity to deal with orders big and small, with the ability to provide next day delivery if required.

Our growth comes from a relentless focus on being 'Simply Better' than our competitors. We achieve this by creating innovative, highly desirable products, providing world-class service, and ensuring our range suits every application and budget.

At QA, we have the scale to handle all your flooring needs, but our family approach means we're close enough to our customers to care.

Keeping it simple. Always being better... That's what QA is all about.

The QA Team

Contact us for fantastic prices on: Wood Underlays, Carpet Underlays, Acoustic Systems, Gripper, Profiles, Adhesives, Scotia and Tapes.

Tel: 0151 495 3434 or email: sales@qaflooringsolutions.com











2	Welcome To QA	8	Our Warranty
3	Contents	9	Where We Are
4	6 Great Reasons	10	Marketing Support
5	How To Order	11	Traffilay - Product Finder
6	Online Ordering	12	Retail Display Solutions

Underlays

16	Wood Underlay Introduction	46	Carpet Underlays
17	Wood Underlay Product Finder	69	Carpet Underlay Technical Information
18	Wood Underlays	70	Acoustic Solutions
43	Wood Underlay Technical		Introductions
	Information	71	Acoustic Solutions Product
44	Carpet Underlay Introduction		Finder
45	Carpet Underlay Product	72	Acoustic Solutions
	Finder	81	Acoustic Solutions Technical Information

Floor Levelling Systems

82 Jumpax	x Basic	84	Floo	ring (Grade	e Pl	ywood
-----------	---------	----	------	--------	-------	------	-------

Accessories

86	Accessories Introduction	106	Premium Gripper
88	Standard Profiles	107	Deep Base Gripper
91	Self Adhesive Profiles	108	Adhesives
94	Specialist Profiles	109	Tapes
100	Premium Profiles	111	Tools
103	Scotia Beading	112	Polythene
105	Standard Gripper	113	Packaging





For all orders over £450.00 + VAT free delivery is available.



Our huge range makes sourcing all your flooring needs easy! With our products in stock we're the perfect single source partner.



NEXT DAY DELIVERY available on request.



If there's anything you're not happy with – we'll put it right. **QUICKLY,** honestly and generously.



Whether it be phone, online or email, our service is geared to your convenience the moment you make contact – **EXPERIENCE IT TODAY!**



One of the biggest stock holdings of underlay and accessories in the UK.

QA does such a wide range of flooring products, from underlays to profiles, different types of gripper and even acoustics. QA is my go-to supplier, and the new trade portal makes ordering really quick and easy to view the whole range they offer and my special prices, I can order any time of day.

Flooring Wholesaler, South West

I've been a customer of QA's since I started my business 10 years ago, the reps really know their stuff and look after me whatever it is I need. The office staff are helpful and always ready to assist by phone or email. A really solid family-owned business offering quality products at competitive prices.

Carpet Wholesaler, Yorkshire

Whether you are an existing customer or you haven't bought from us before, please call the office on **O151 495 3434** or email **sales@qaflooringsolutions.com** and we will put you through to the dedicated Account Manager for your area:







www.qaflooringsolutions.com

All orders are accepted subject to our Terms and Conditions of Sale – a copy of these is available on request.

Our Delivery Service

We offer a standard 2–3 day delivery service with next day delivery available if required. We also offer a range of delivery options, from timed deliveries to home address and site drops so you can be sure that you get your goods on time!

Delivery Options

- FREE 2-3 day delivery on all orders over £450
- Minimum order value £450
- Standard lead time 2-3 days
- Under minimum order £45
- Next day or specific delivery £45
- Delivery to building site / home address £48
- AM or specific time £50
- Saturday / same day P.O.A.
- All orders to Scotland & Ireland FREE delivery over £5k.
 Under £5k delivery charge P.O.A
- Outside mainland UK / export P.O.A.
- Discount on Customer Collections 5%

Delivery cost correct at time of print and may be subject to change.





You can now order online at our trade only portal which can be found at: trade.qaflooringsolutions.com

Contact your Account Manager to **GET SET UP TODAY!**



Order at your convenience using our online portal and you can...



Check current stock levels and your bespoke prices so you can plan your jobs with confidence



Quickly re-order frequently purchased products by accessing them through your Saved Items



Access your invoices, credit details and other accounting information



View technical data / COSHH sheets and instruction documents

Order ONLINE NOW through our trade portal. trade.qaflooringsolutions.com

Speak to your **Account Manager** or contact **0151 495 3434** to gain access to our online portal



If there's anything you're not happy with - we'll put it right. Quickly, honestly and generously.



No hassle. No unanswered calls. No loose ends. You simply want to know you can trust the products and people you're dealing with. After all, it could be your trade reputation at stake – or the comfort of your home.

With QA, you can expect guaranteed reliability – every time. When we say we offer you a complete flooring solution, we mean it, and we'll go the extra mile to make sure you're happy with every aspect of our service. And even though we've got over 2000 product options, whatever you get from us is covered by one straightforward warranty.

Please Note: All product images contained within this directory are for representative purpose only and the appearance of the actual products may vary due to the nature of the raw materials used in the manufacturing process.







A simply better way to find your perfect underlay.

How Traffilay works

Having decided on your floor covering (wood, carpet, etc) think about the foot traffic the room or area usually receives. For example, bedrooms are typically light traffic, living rooms usually medium, and hallways and kitchens would be considered heavy foot traffic areas.

Then choose the features and benefits you want most – like cushioning, durability or insulation.

Finally, from your shortlist of suitable underlays, decide which is closest to what you need.

In the brochure

Our products are arranged by type of floor covering and the recommended traffic level.

The main features and benefits will be highlighted in the squares next to each product. The additional benefits or suitability of the product will be represented by the bottom squares.

This will help you make the best selection that meets your needs.

Recycled, Recyclable and Eco-Friendly

Look out for these symbols on our eco-friendly products.









Look for the features to help you make the right choice for your needs.



Sample Display Tower

Complete with a Range of FREE Samples



Dimension: 1800mm Height x 1080mm Width (including arms) x 500mm Depth

${\bf Can\,be\,supplied\,with\,or\,without\,lightbox}$

Comes complete with all hanging arms, profile sample display boards, literature holders (x2), carpet and wood underlay sample swatches



Sample Display Slat Wall Panel



Dimension: 1200mm Height x 1200mm Width x 175mm Depth (with display shelf)

Wall Hanging (must be fixed to wall)

Keep all your QA Underlay & Accessories samples in one easy to view display

Comes complete with all hanging arms, literature holder, sample display shelf, profile sample display boards, carpet and wood underlay sample swatches Complete with a Range of FREE Samples



Simply Better

Underlays & Accessories

Specialist Profile Retail Display Stands



FREE Stand with First 30 Tubes of Profiles Purchased (Any combination)



Dimension:

Height: 2.01m/Width: 0.625m/Depth: 0.62m

33Hooks

Approx.10 Lengths per Hook

Dimension:

Height: 3.16m/Width: 0.63m/Depth: 0.62m


18Hooks

Holds 10-15 Tubes



Matt Black Profiles

An attractive collection of popular profiles in a stylish matt black finish.





At the heart of any complete flooring solution is the underlay. We should know - we sell millions of square metres every year! In this section you will find all you need to know about our underlay options for wood and laminate floors.

Traffilay C	Group					ery					
Key: Best for Suitable for		Cushioning	Level Floors	Hard Wearing	Moisture Protection	Compression Recovery	Heat Insulation	Sound Reduction	Underfloor Heating	Commercial Use	Page No
Light	Hailbara Burana	O	ت	エ	Σ	O	エ	S		O	
Light Traffic	UniBase Bronze	Н									18
Hallic	AWC15	Н			п						18
	UniBase Silver UniBase Gold	Н			H						18
	Silver Lux	H			H						20
	Silver Lux										20
Medium	 Barrier										22
	Barrier Plus				П						22
Traffic	ProTech	П			П			П			24
	FibreBoard		П								26
	TechniBoard		П								26
	QuickTherm			П					П		28
	QuickTherm Vapour				П				П		28
	· ·										
Heavy Traffic	TimberTech Elite										30
Traffic	TimberTech Elite Plus								П		30
	TimberTech Neo										32
	TimberTech2 Silver										34
	TimberTech2 Silver Plus										34
	TimberTech2 Gold										36
	TimberTech2 Acoustic Plus										38
	TimberTech2 Everlay										40

Wood UnderlaysLight Traffic



100% recyclable PE foam wood underlays for light traffic offering terrific value.

Suitable for use with laminate and engineered wood flooring (floating floor installation).

Longer-lasting flooring

UniBase gives your floor covering the perfect level of support to protect it from excess wear and even high impact damage – all of which helps your floor look good for longer!

Lightening the load

The ultra lightweight polyethylene foam material makes UniBase so easy to lift and manoeuvre... you won't believe just how much time and effort that can save you on every installation.

Protects against damp

Don't worry about moisture rising up from the sub-floor – UniBase Silver and UniBase Gold have the added benefit of a metallised vapour barrier that overlaps and protects your floor covering and keeps your room dry as a bone.

Made with 100% recyclable polyethylene foam.



UniBase Bronze

Available in

Code	Size	Thickness	Pallet QTY
QAU-UBB-02	1m x 15m (15m ²)	2mm	70
QAU-UBB-03	1m x 15m (15m ²)	3mm	50
QAU-UBB-05	1m x 120m (120m²)	2mm	8
AWC15 (not pictured)	1m x 15m (15m ²)	2.5mm + Overlap	50















UniBase Silver



Code	Size	Thickness	Pallet QTY
QAU-UBS-02	1m x 15m (15m ²)	2mm	70











Suitable for:





UniBase Gold

Available in

Code	Size	Thickness	Pallet QTY
QAU-UBG-01	1m x 10m (10m²)	3mm + Overlap and s/a strip	80

















Wood Underlays Light Traffic



Great value 100% recyclable PE foam wood underlay with moisture protection overlap.

Protects against moisture

Silver Lux gives reliable protection against moisture rising from the sub-floor, keeping your floor dry.

Faster and cleaner fitting

There's no wasting time with Silver Lux – it's not only lightweight to lift and move around, but really easy to cut and install so you can get on with the job. Silver Lux gives you less clearing up to do afterwards, as it's dust free and so cleaner and easier to install.

Made with 100% recyclable polyethylene foam.



Silver Lux

Available in

Code	Size	Thickness	Pallet QTY
SL15	1m x 15m (15m ²)	3mm + Overlap	50







Lightweight PE foam wood underlay for medium traffic with vapour barrier.

Suitable for use with laminate and engineered wood flooring (floating floor installation).

Protects against damp

Barrier has a clear printed vapour barrier on one side, which effectively and economically stops moisture rising from the subfloor to keep your floor dry. Barrier Plus has a vapour barrier on both sides, so you're even better protected against rising moisture to keep your floor bone dry.

Support against impact shock

Barrier and Barrier Plus give your floor covering the perfect level of support, guarding against excess wear and even high impact damage. It feels good under your feet, too!

Light fantastic

While they're not lightweight in performance, Barrier and Barrier Plus certainly are easier and safer to lift and handle compared with many underlays – thanks to their ultra-lightweight PE foam making them a breeze to lift and move around... saving time and effort during installation. The advanced moisture barrier gives this underlay even better resistance to fungi, mould and bacteria and dust-free installation means it is cleaner and easier to work with.

Made with 100% recyclable polyethylene foam.




Barrier

Moisture barrier on one side.

Available in

Code	Size	Thickness	Pallet QTY
QAU-BAR	-01 1m x 15m (15m²)	3mm + Overlap	50






Barrier Plus

Moisture barrier on two sides.

Available in

Code	Size	Thickness	Pallet QTY
QAU-BAR-02	1m x 15m (15m ²)	3mm + Overlap	50













Dense PE foam featuring ultimate damp protection.

Ultimate protection against moisture

Don't worry about moisture rising up from the subfloor – ProTech is laminated with a full 1000-gauge damp-proof membrane (300 above the industry standard), plus a joint sealing system to keep your room dry as a bone.

Shhh! Underlay at work


Sound insulation... no need to worry about noise levels. ProTech has the added benefit of providing up to 22dB sound reduction.

Lightening the load

The lightweight polyethylene material means ProTech's not only a breeze to lift and move around, but also quick and easy to cut and install – saving time and effort during installation.

Wood Underlays Medium Traffic





od Underlays dium Traffic



Lightweight panels to eliminate uneven subfloors and improve insulation.

Suitable for use with laminate and engineered wood flooring (floating floor installation).

FineFloor FibreBoard is made from natural wood fibre, offering eco-friendly and stable support for your floor. Not only is the material completely natural and 100% recyclable, Fibreboard is really easy to line up, fit and cut saving you time during installation.

FineFloor TechniBoard is made from clever XPS material, providing a lightweight yet durable solution for uneven subfloors. The modern polystyrene material is easy to lift and move around, helping to get the job done quickly.

Being dust and fibre free means TechniBoard is cleaner to install and helps prevent allergy problems.

Keep out the cold

With exceptional insulation properties, the FineFloor range is perfect for use on ultra-cold subfloors. So, in a basement for example, it'll make your room feel so much cosier and usable.

Quietly does it

Both FibreBoard and TechniBoard have high impact sound reduction, deadening any loud noise to make the whole room quieter and more peaceful.








FineFloor FibreBoard

Available in

, transactorit							
Code	Size	Thickness	Pallet QTY				
QAU-FFF-01	22 panels 590mm x 850mm x (11.03m²)/pack	4mm	24				
QAU-FFF-02	20 panels 590mm x 850mm (10.03m²)/pack	5mm	22				
QAU-FFF-03	14 panels 590mm x 850mm (7.02m²)/pack	5mm	32				
QAU-FFF-04	17 panels 590mm x 850mm (8.59m²)/pack	7mm	18				











Suitable for:




FineFloor TechniBoard

Available in

Code	Size	Thickness	Pallet QTY
QAU-FFT-01	10 panels 1200mm x 500mm (6m²)/pack	5mm	72
QAU-FFT-02	21 panels 590mm x 790mm (9.79m²)/pack	5mm	46







0.0



Suitable for:



TOG RATING

Wood UnderlaysMedium Traffic



Perforated PE foam underlay specially designed for underfloor heating.

Suitable for use with laminate and engineered wood flooring (floating floor installation).

QuickTherm is a red PE foam underlay with innovative perforations which allow optimum transfer of heat from an underfloor heating system to the room.

QuickTherm Vapour is orange in colour and has the additional benefit of a built-in vapour barrier with overlap, to stop moisture rising up from the subfloor.

The underfloor heating underlay

Along with the unique perforated design, QuickTherm and QuickTherm Vapour have extremely low tog ratings ensuring your underfloor heating system can work more efficiently which helps with your energy consumption (QuickTherm 0.35 Tog / QuickTherm Vapour 0.303 Tog).

Lifelong supporter

The very dense closed-cell polyethylene material can take the weight of heavy loads long-term, supporting and protecting your floor to keep it in good shape for a longer life.

Easy installation

QuickTherm and QuickTherm Vapour are strong on performance but light in weight making it easy and convenient to transport during installation; and being 100% recyclable and dust-free means there is less clean up to do afterwards!




Go to qaflooringsolutions.com for installation guidelines.

QuickTherm









Available in

Available in

Size

QAU-QTH-01 1m x 10m (10m²)

Code




Thickness

1.8mm

Pallet QTY

120







Wood underlays that deliver a new level of noise reduction and comfort.

Suitable for use with laminate, engineered and solid wood flooring (floating floor installation).

Ideal for underfloor heating

With a very low tog value of 0.1, TimberTech Elite and Elite Plus are the perfect choice if you have underfloor heating, letting it heat the room more efficiently.

Shhh! Underlay at work

TimberTech Elite Plus reduces walking noise by up to 32% and impact sound by up to 21dB, cutting down noise level and making the room a more comfortable place to be.

Provides strength & stability

The high density and compressive strength fully support the floor and prevent movement, keeping it in good shape for a longer life.

Protects against moisture

A silver vapour barrier gives superior protection against moisture rising from the sub-floor, keeping your floor dry.







TimberTech Elite










TimberTech Elite Plus

Available in

 Code
 Size
 Thickness
 PalletQTY

 QAU-TTE-02
 1m x 10m (10m²)
 3mm
 38





Wood UnderlaysHeavy Traffic



Heavyweight natural crumb rubber underlay with outstanding

noise reduction.

Shhh! Underlay at work

TimberTech Neo is a 3mm thick, rubber crumb underlay providing an impressive 23dB sound reduction.

Dry as a bone

The silver vapour barrier on TimberTech Neo prevents moisture rising from the sub-floor – protecting your floor covering against damp.

Old tyre, new life

TimberTech is made with rubber from recycled tyres, which means old tyres don't go into landfill – so it's better for the planet.

Use QA Vapour Tape on joints for added moisture protection. See page 104.










TimberTech Neo









High density natural rubber, with fleece backing and vapour barrier.

Flooring stays put

The high density, fleece-backed natural rubber is extremely stable and prevents movement in your flooring, greatly reducing wear and tear!

Shhh! Underlay at work

TimberTech2 Silver is excellent at absorbing both impact and in-room noise, to really cut down noise levels in any room.

Protects against damp

Don't worry about moisture rising up from the sub-floor – the silver vapour barrier film protects your floor covering and keeps your room dry as a bone.

With exceptional resistance to compression, TimberTech2 Silver provides solid and stable support even under the heaviest weight.

The high tensile strength of TimberTech2 Silver Plus gives it superior performance in any installation.

Being dust free means it's cleaner and easier to install, with less clearing up afterwards.



TimberTech2 **Silver**

























TOG RATING 0.3

TimberTech2 **Silver Plus**



Code	Size	Thickness	Pallet QTY
QAU-TTS-02	1m x 10m (10m ²)	3mm	40





















Premium ultra-thick natural rubber underlay with vapour barrier.

Stability you can rely on

TimberTech2 Gold's heavy mass stability is exceptional, preventing movement in your flooring to keep it looking good longer.

Quiet please...

With its ultra-thick laminated material, TimberTech2 Gold has an outstanding acoustic performance of 23dB to make any room more comfortable.

Protects against damp

A gold vapour barrier gives superior protection against moisture rising from the sub-floor – so your room stays dry.



TimberTech2 Gold


3.3mm

30



QAU-TTG-01 1m x 10m (10m²)





Wood UnderlaysHeavy Traffic



Heavyweight natural rubber underlay with outstanding noise reduction.

The sound of silence...

TimberTech2 Acoustic Plus has an exceptional impact sound insulation level of 27dB – really bringing down noise levels in the room and making it a better place to be.

Protects against moisture

The gold vapour barrier stops your floor covering being damaged by moisture rising up from the sub-floor.

Heavyweight champ

The heavy mass stability of TimberTech2 Acoustic Plus means your floor's always fully supported, reducing the wear and tear to it, whatever a pounding it takes!

The high tensile strength of TimberTech2 Acoustic Plus makes it suitable for any installation – including commercial use.



TimberTech2 Acoustic Plus




5mm

20

QAU-TTA-02 1m x 8m (8m²)







A revolutionary product made from very high density PU foam for use with floating floor installations.

Offering 200kg density and an impressive 22dB sound reduction.

Shhh! Underlay at work

TimberTech2 Everlay gives high insulation against impact sound (22dB) – really bringing down the noise levels and making the room a better place to be.

Dry as a bone

Silver vapour barrier film prevents moisture rising from the sub-floor –protecting your floor covering against damp.

Reclaimed foam, renewed purpose

TimberTech2 Everlay is made from recycledpolyurethane foam waste, giving old furniture a second life instead of sending it to the landfill – so it is better for the planet.

A real performer

TimberTech2 Everlay performs significantly better than polyethylene foam underlays for floating floor installations – NOT bonded applications.








TimberTech2 Everlay


Very high density PU foam. Designed for use with unbonded laminate and engineered wood flooring

Available in

Code	Size	Thickness	Pallet QTY
QAU-TTS-01	1m x 10m (10m ²)	3mm	50







	श
	(T)
	_
	`
	000
	U
	5
Ē	=
Ė	
H	r a l
	\mathbf{U}
	\simeq
	000/
C	3
۲	\sim
Ì	\rightarrow
ŀ	
	40
	U)
	`>
	$\boldsymbol{\omega}$
۱	こ
	<u></u>
	W
۱	\overline{O}
	\simeq
	드

Wood Underlays Light Traffic

Ë

	Density	Impact Sound Reduction	Thermal Resistance	Compressive Strength	Reaction to fire	
Product	kg/m³	dB	Tog Value	kPa		
UniBase Bronze	20 ± 10%	~19 (2mm) ~20 (3mm)	"0.44 (2mm) 0.67 (3mm)"			
AWC15	20 ± 10%	~20	0.67			
UniBase Silver	20 ± 10%	~19 (2mm)	0.44			
UniBase Gold	20 ± 10%	~20	0.67			
Silver Lux	20 ± 10%	~20	0.67			

Wood Underlays Medium Traffic



	Density	Impact Sound Reduction	Thermal Resistance	Compressive Strength	Reaction to fire
Product	kg/m³	dB	Tog Value	kPa	
Barrier	20 ± 10%	~20	0.67		
Barrier Plus	20 ± 10%	~20	0.67		
ProTech	25 ± 10%	22	0.67		
FibreBoard 4mm	260 ± 10%	18	0.8	>150	
FibreBoard 5mm	260 ± 10%	18	1.7	>150	
FibreBoard 7mm	260 ± 10%	18	1.4	>150	
TechniBoard	25 ± 10%	~19	2.15		
QuickTherm	100 ± 10%	~19	0.35		
QuickTherm Vapour	60 ± 10%	~19	0.303	30	

Wood Underlays Heavy Traffic



	Density	Impact Sound Reduction	Thermal Resistance	Compressive Strength	Reaction to fire
Product	kg/m³	dB	Tog Value	kPa	
TimberTech Elite	850 ± 10%	20 ± 2	0.1 >75 A+	up to 240	Bfl-s1
TimberTech Elite Plus	850 ± 10%	21 ± 2	0.1 >75 A+	up to 120	Bfl-s1
Timbertech Neo	400 ± 10%	22	0.72		Pass (Low radius of effect)
TimberTech2 Silver	950 ± 10%	~20	0.3		Pass (Low radius of effect)
TimberTech2 Silver Plus	950 ± 10%	~21	0.37		Pass (Low radius of effect)
TimberTech2 Gold	950 ± 10%	~23	0.53		Pass (Low radius of effect)
TimberTech2 Acoustic Plus	750 ± 10%	~27	0.66		Pass (Low radius of effect)
TimberTech2 Everlay	200 ± 10%	22	0.97		Pass (Low radius of effect)

All technical data provided in this publication is subject to variation. It is partly based on data from our suppliers and reflects the current level of industry expertise. It is not legally binding. Compliance with legal requirements remains the customer's own responsibility.



It's easy to think all carpet underlays are the same. After all, they spend most of their life hidden away. But you'd be surprised how much difference choosing the right underlay can make to any room. Mainly it is about comfort, but it can also be about keeping your carpet **looking good for longer**.

All our carpet underlays are **guaranteed for the life of your** carpet.

We are proud to manufacture our core range of PU carpet underlays right here in our own UK manufacturing facilities, ensuring the highest standards of quality, reliability, and sustainability. Producing locally means we can maintain strict control over our manufacturing processes, reduce lead times, and respond quickly to the needs of our customers. It also supports British industry, safeguards local jobs, and minimizes the environmental impact associated with long-distance shipping. For our customers, this not only provides confidence in the **value**, **consistency and durability** of our products but also offers the reassurance that they are choosing underlays made with care, responsibility, and a genuine commitment to supporting the UK economy.

Carpet Underlay you can rely on. Manufacturing you can trust.

Look out for the MADE IN THE UK icon.



Traffilay	Group				uc	overy			0.0		
Key: Best for Suitable for		Cushioning	Level Floors	Hard Wearing	Moisture Protection	Compression Recovery	Heat Insulation	Sound Reduction	Underfloor Heating	Commercial Use	Page No
1 * . 1	FloorSure Silver										46
Light	FloorSure Gold										46
Light Traffic	FloorSure Platinum										46
						_					
Medium	SpringBack Silver	Щ				Н					48
	SpringBack Gold										48
Traffic											
	Pure Super High Density 9mm					Щ		Щ			52
	Pure Super High Density 11mm						Щ				52
	Pure Ultra High Density 9mm										54
	Pure Ultra High Density 11mm			Ш		Ш					54
Heavy	PowerWalk Silver										56
Heavy Traffic	PowerWalk Gold										56
ігатпс	SkyWalk Silver										58
	SkyWalk Gold										58
	Naturlay										60
	CombiFelt Acoustic										62
	HeatWave										64
	OBond 65					П		П			66



Resillient PU foam with a truly luxurious feel.

Feels great to feet

FloorSure is made from a polyurethane foam that's light in weight but gives your feet a real treat – warm and comfortable, coupled with a softness that feels simply gorgeous!

Light fantastic

FloorSure is certainly much easier and safer to lift and handle compared with sponge rubber and felt underlays – thanks to its lightweight PU foam.

FloorSure also offers very good thermal insulation, to help your whole room feel warmer and more comfortable.

It's not only light and easy to manoeuvre, but also quick and easy to cut and install – saving time on installation.

Made with 100% recyclable polyurethane foam.











Code	Size	Thickness	Pallet QTY
QAU-FSS-01	1.37m x 11m (15.07m ²)	8mm	28







Suitable for:







FloorSure Gold

















FloorSure Platinum



Available in

Code	Size	Thickness	Pallet QTY
QAU-FSP-01	1.37m x 11m (15.07m ²)	12mm	18

















A premium PU foam underlay with excellent bounce back ability.

Pure underfoot luxury

SpringBack top-grade 130kg density polyurethane foam has an unbelievable softness to give unbeatable underfoot comfort.

SpringBack by name...and nature

It's all in the name...SpringBack really performs under pressure, retaining its ability to spring back much better than a typical sponge rubber product. Your carpet will look good for so much longer!

Designed for durability

SpringBack is extremely hardwearing and won't dry out, crumble or react to everyday household cleaners. In fact, it's guaranteed for the lifetime of the carpet!

Made with 100% recyclable polyurethane foam.












Available in

 Code
 Size
 Thickness
 Pallet QTY

 QAU-SBS-01
 1.37 x 11m (15.07m²)
 8mm
 24










Available in

7 (Valiable III			
Code	Size	Thickness	Pallet QTY
QAU-SBG-01	1.37 x 11m (15.07m ²)	10mm	21





Carpet Underlays Luxuriously Pure PU





QA Underlays Pure

Introducing a luxurious collection of PU carpet underlay, which is as indulgent as it is robust.

Only the purest, highest-grade foam is used in the production of the Pure range, setting a new industry standard in comfort.


The material used is subject to a stringent sorting process which removes imperfections and lower grade dark coloured foam, resulting in an impeccably clean PU material. This gives Pure the most sumptuous feel under the carpet, unsurpassed by other luxury underlays on the market.


- Two different density options available Super High Density (SHD) and Ultra High Density (UHD)
- Pure SHD and UHD available in both 9mm and 11mm
- Non-woven backing and printed top layer for improved stability
- Pure branded premium packaging

Made with 100% recyclable polyurethane foam.


















Carpet Underlays Heavy Traffic


















High Density PU foam underlay perfect for heavy duty domestic use.

High density and hardwearing

The polyurethane foam in PowerWalk is extra high density (155kg/m³) so it's extremely hardwearing, keeping your carpet looking good for longer.

Performance under pressure

Under pressure, this is an underlay that really performs – with excellent compression recovery – to help your carpet keep that 'just-fitted' look.

Keeps flooring in its place

PowerWalk Silver has excellent stability to stop movement in your carpet, greatly reducing wear and tear.

Excellent thermal insulation

PowerWalk Silver has a 2.3 tog rating with PowerWalk Gold delivering 2.92 tog performance; which means your whole room feels warmer and more comfortable.

Sound reduction

The sheer density of PowerWalk helps give it first-rate impact and sound insulation (Silver 38dB / Gold 44dB), making your room quieter.

Made with 100% recyclable polyurethane foam.







Carpet Underlays Heavy Traffic








Code	Size	Thickness	Pallet QTY
QAU-PWS-01	1.37m x 11m (15.07m ²)	9mm	20










Available in

Code	Size	Thickness	Pallet QTY
QAU-PWG-01	1.37m x 11m (15.07m ²)	11mm	20







Carpet Underlays Heavy Traffic



High performance PU foam built for exceptional comfort and durability.

Built to last

The heavy-duty reinforced paper backing of SkyWalk makes it incredibly stable and hardwearing, standing up to the punishment of very heavy foot traffic and making the carpet look and feel great for much longer.

Only luxury under the carpet

The high performance foam used in SkyWalk makes it the perfect product where only the highest levels of luxury will fit the bill. It is suitable for all areas of Luxury Use.

Comfort starts here

Thanks to the premium materials used in its make-up, SkyWalk provides excellent sound reduction and underfoot cushioning. Using SkyWalk under your carpet is the starting point of creating a truly comfortable and restful room!

Proudly made in the UK using premium UK sourced materials.





















Available in

Code	Size	Thickness	Pallet QTY				
QAU-SWG-01	1.37m x 11m (15.07m ²)	11mm	20				







Carpet underlay made from 100% natural materials. Taking comfort under floor to a new level, naturally.

Soft and comfortable as cotton

The entirely natural cotton felt construction has no hard lumps in it, giving a beautifully comfortable and consistent feeling underfoot. Walking on the carpet never felt so good!

Naturlay is vegan friendly

Made from plant-based material, with no chemicals or animal-based materials used in its construction.

Safe for everyone

No harmful chemicals are used in the production of Naturlay, so it is perfect for allergy sufferers.

Naturlay makes a home a healthier place to be

Fully breathable when used with a compatible carpet, allowing the natural movement of air and moisture through your home and preventing the build up of damp and mould under the floor (which can have negative impacts on health).

Better for the environment

Naturlay is made entirely from natural fibres and is fully biodegradable at the end of its life, so has ultra low environmental impact.







Naturlay


QAU-UBS-O1 1.37m x 11m (15.07m²)

Available in

Code











Extra-tough felt and rubber combination, perfect for prestige carpets.

A touch more luxurious

Giving a firm but truly plush feel under your feet, this is an ideal choice for luxury settings and is widely used under Axminster and quality twist carpets.

Built to last

This underlay is designed for fantastic durability. It won't crumble over time and takes even the heaviest use in its stride – it exceeds BS5808 (Heavy Contract Use)!

Shhh! Underlay at work

CombiFelt Acoustic has unbelievable impact sound insulation... so not only does it make your carpet feel softer and more luxurious but you'll notice a real difference in noise levels.









CombiFelt Acoustic

Thickness

Available in

QAU-CFA-01 1.37m x 11m (15.07m²) 10mm

Code





arpet Underlays Bavy Traffic



A super soft flame retardant PU foam underlay which is specially designed for use with under floor heating.

Fire safety comes first

HeatWave is designed to be safer if a fire breaks out in the home, thanks to its flame retardant properties...so there's no need to worry about hidden dangers under your floor if the worst should happen.

That soft feeling...

HeatWave is made from very pure polyurethane foam, so is incredibly soft and gives unbeatable underfoot comfort...sitting on your carpet will feel like sitting on your sofa!

Heatwave under the floor


HeatWave has a tog value of only 0.96, which allows underfloor heating to work away at keeping the room nice and warm.

Made with 100% recyclable polyurethane foam.









arpet Underlays eavy Traffic



Heavy duty crumb rubber underlay for double stick contract carpet installations.

Commercial quality

Ideal for commercial double stick installations where high performance is required, such as hotels, schools, offices and any large contract carpet area.

Environmentally friendly

Manufactured from a high content of recycled vehicle tyres.

Excellent compression recovery

Offers excellent recovery from indentations from loads such as heavy furniture.

Sound reduction

Impact sound reduction results ranging from 27dB to 33dB. Offering excellent acoustic properties.

Go to gaflooringsolutions.com for installation guidelines.










QBond 65






Code	Size	Thickness	Pallet QTY				
QAU-QBD-01	1.37m x 11m (15.07m ²)	6.5mm	15				





Simply Better

Comfort underfoot starts with QA - Step RIGHT this way!



QA PU underlays are made from high-density foam. They are tested and recommended for luxury use.



^{*}Premium non-woven fleece gives a soft feel and makes the underlay very stable (preventing stretching and rucking under the carpet).

Carpet Underlays Light Traffic 🕏

	Density	Thickness	Impact Sound Reduction	Thermal Resistance	Flammability
Product	kg/m³	mm	dB	Tog Value	
FloorSure Silver	90 ± 5%	8 ± 5%	32	2.18	Pass - High Radius of effect
FloorSure Gold	90 ± 5%	10 ± 5%	40	2.6	Pass - High Radius of effect
FloorSure Platinum	90 ± 5%	12 ± 5%	44	2.95	Pass - High Radius of effect

Carpet Underlays Medium Traffic

	Density	Thickness Impact Sound Reduction Thermal Resistance		Flammability	
Product	kg/m³	mm	dB	Tog Value	
SpringBack Silver	130 ± 5%	8 ± 5%	34	2.3	Pass - Medium Radius of effect
SpringBack Gold	130 ± 5%	10 ± 5%	40	2.75	Pass - Medium Radius of effect

Carpet Underlays Heavy Traffic

	Density	Thickness	Impact Sound Reduction	Thermal Resistance	Flammability			
Product	kg/m³	mm		Tog Value				
Pure SHD 9	100 ± 5%	9 ± 5%	38	2.43	Pass - Medium radius of effect			
Pure SHD 11	100 ± 5%	11 ± 5%	44	3.04	Pass - Medium radius of effect			
Pure UHD 9	145 ± 5%	9 ± 5%	38	2.44	Pass - Medium radius of effect			
Pure UHD 11	145 ± 5%	11 ± 5%	44	2.81	Pass - Medium radius of effect			
PowerWalk Silver	155 ± 5%	9 ± 5%	38	2.3	Pass - Low Radius of effect			
PowerWalk Gold	155 ± 5%	11 ± 5%	44	2.92	Pass - Low Radius of effect			
SkyWalk Silver	115 ± 5%	9 ± 5%	44	2.43	Pass - Medium radius of effect			
SkyWalk Gold	115 ± 5%	11 ± 5%	46	3.04	Pass - Medium radius of effect			
Naturlay	60 ± 5%	12 ± 5%	33	3.54	Combustibility <100mm/minute			
CombiFelt Acoustic		10 ± 5%	34		Pass - Low Radius of effect			
HeatWave	110 ± 5%	8 ± 5%	36	0.96	Pass - Low Radius of effect			
Qbond 65	400 ± 5%	6.5 ± 5%	30	1.1	Pass - Low Radius of effect			

All technical data provided in this publication is subject to variation. It is partly based on data from our suppliers and reflects the current level of industry expertise. It is not legally binding. Compliance with legal requirements remains the customer's own responsibility.



A range of industry leading acoustic materials to help meet or surpass Building Regulations for England, Wales, Scotland and Ireland. We have the expertise to provide you with the correct solution to combat airborne and impact noise.

84

Traffilay	/ Group					ery					
Key: Best for Suitable for	Acoustic Systems	Cushioning	Level Floors	Hard Wearing	Moisture Protection	Compression Recovery	Heat Insulation	Sound Reduction	Underfloor Heating	Commercial Use	Page No
Незуу	SoundBarrier										72
Heavy Traffic	Regupol Sonus 3912										74
Ігатіс	Regupol Sonus 4515 Multi 3mm										74
	Regupol Sonus 4515 Multi 4.5mm										74
	Regupol Sonus 4515 Eco 3mm										74
	Regupol Sonus 4515 Eco 4.5mm										74
	Quiet Roll Standard 2mm										76
	Quiet Roll Standard 5mm										76
	Quiet Roll Universal										76
	E-Board Concrete										78
	E-Board Timber										78
	E-Board Pro										78
Floor Levelling	Jumpax Basic										82
LEVEIIII											

System

Flooring Grade Plywood



High performance acoustic underlay for both glue down and click LVT installations.

Quietly does it

SoundBarrier provides an exceptional 24dB of impact sound reduction – higher than any other LVT underlay available. It also reduces walking noise by 31%, making the room a whole lot quieter.

Built to last

Made from a high-density polypropylene foam, SoundBarrier will easily last the lifetime of the floor, even under the heaviest foot traffic. It creates a stable base which supports the floor for life.

Protects against damp

The unique moisture-guard properties of SoundBarrier stop moisture getting through from the sub-floor, keeping the floor dry.

Light fantastic

Lightweight material makes it easier to manoeuvre unlike other rubber products.






SoundBarrier





Code	Size	Thickness	Pallet QTY
QAU-QBD-01	1.37m x 11m (15.07m ²)	1mm	16





Acoustic system which helps comply with Part E of Building Regulations.

Regupol® Sonus 3912 is a tough, resilient acoustic underlay manufactured from PUR Foam and is ideally suited to refurbishment and timber-based constructions to comply with Part E. It can also be used for new build.

Regupol® Sonus 4515 Multi & Eco are multi-purpose acoustic underlay systems which help comply with Part E of Building Regulations for impact sound reduction. They can be used over most types of sub floor and with all types of floor finish.

Performance under pressure

Regupol® Sonus offers long term performance without collapse or "bottoming" out under high point loads and is resistant to ageing and deformation. With high quality and exact material thickness guaranteed, it reduces construction heights.

Comfort under foot

Suitable for use with under floor heating and is also very comfortable under foot.

Fit it fast!

Quick and easy to install. Simply bond to the subfloor beneath the final floor finish.

Manufactured using recycled materials and 100% recyclable.

Consultation with our Technical Support Team is recommended prior to specification.







Regupol Sonus 3912











Suitable for:



Available in

Code	Size	Thickness	Pallet QTY
RP3912	1m x 15m (15m ²)	6mm	15

Regupol Sonus Multi

* Only 3mm suitable for underfloor heating.



Code	Size	Thickness	Pallet QTY
RP4515M3	1m x 20m (20m ²)	3mm	15
RP4515M45	1m x 18m (18m ²)	4.5mm	15















Regupol Sonus Eco

* Only 3mm suitable for underfloor heating.



Code	Size	Thickness	Pallet QTY
RP4515E3	1.15m x 20m (23m ²)	3mm	20
RP4515E45	1.15m x 12m (13.8m ²)	4.5mm	20

















QA Quiet Roll is a range of cork products which help comply with Part E of Building Regulations for impact sound reduction. There are products available to use with all types of floor finish. (See also SoundBarrier).

Lightweight performance

Cork cells are filled with a mixture of gasses which reduce product weight, the composition of Cork is approximately 40% bark and 60% gas which helps keep the product lightweight.

Benefits of cork

- Anti-Static
- Anti-Allergic
- Bug Resistant Cork contains suberin which is a natural insect repellent
- Air Quality Naturally antimicrobial and water resistant
- Fire if cork is burnt, no toxic fumes are emitted
- Thermal Insulator thin underlays are suitable for underfloor heating
- Carbon Negative any waste is recycled back into the production line
- Sustainability Portuguese Cork Oak Trees retain approximately 14 million tonnes of CO₂ yearly, no trees are cut or damaged when harvesting



Quiet Roll applied under a timber floor.










Quiet Roll Standard

Made sustainably from recycled cork and EVA, providing a high level of insulation against impact noise. * Only 2mm suitable for underfloor heating. ** Only 5mm suitable to level floors.

Available in

Code	Size	Thickness	Pallet QTY
QAU-CWO-01	1m x 10m (10m ²)	2mm	35
QAU-CWO-02	1m x 10m (10m ²)	5mm	12






Quiet Roll Universal

A high density underlay made from 100% cork, suitable for fully glued installations of dryback LVT. Passes the Castor Chair Test when installed under LVT, making it suitable for areas of heavy foot and wheeled traffic.

Available in

Code	Size	Thickness	Pallet QTY
QAU-QRU-01	1m x 10m (10m ²)	2mm	70





Carbon Neutral & Environmentally Friendly

Cork underlay is produced from 100% pure natural cork material, assuring that any waste is inserted back into the production process. This contributes to a lower carbon footprint, 20x lower than a standard synthetic foam underlay. Therefore reducing global warming and improving the general sustainability of our planet. In a globally conscious world, fully aware of the importance of protecting our environment, cork is the most sensible and ecological choice.





High performance underlay system for timber and concrete subfloors with brilliant acoustic performance.

E-Board Timber is a high-mass yet resilient high-performance acoustic underlay, designed to help reduce both impact and airborne noise that helps meet or surpass Building Regulations Part E Resistance to the Transmission of Sound, primarily for timber sub-floors.

E-Board Concrete is ideal for new, retrofit or renovation projects in offices, homes and hotels. E-Board Concrete helps meet or surpass Building Regulations Part E

Resistance to the Transmission of Sound, primarily for concrete sub-floors.

E-Board Pro – High Mass acoustic resilient layer that has been specifically designed to reduce impact and airborne noise primarily on timber floors.

Quiet please...

E-Board with a layer of Class O Acoustic Foam under or sandwiched between an acoustic barrier means excellent impact (53-57dB) and airborne sound (47-54dB) insulation – ideal for new, retrofit or renovation projects in offices, homes and hotels.

Fire safe and sound

Meeting BS476: parts 6 & 7 – the highest level for Class O – the Acoustic Foam is a fully tested for fire resistance – and peace of mind.

Commercial or residential - meet the regs

Whether it's used in commercial or residential installations, you can rely on E-Board to fully comply with Doc E of the Building Regulations.

Ideal under any floor finish – carpet can be fitted directly onto it, but for solid wood, laminate, ceramic, or vinyl we recommend adding 6mm ply or MDF to reduce flex.

With any type of uneven subfloor, the E-Board underlay levels it out to provide a perfect base for any floor covering.

Save time and effort during fitting with lightweight 1.2m x 1m tiles that are easy to lift and simple to cut and install.



E-Board Concrete
















E-Board Timber

Size

QAU-EBC-01 1.2m x 1m (1.2m²)









Best for:

Up To
22dB

SOUND
REDUCTION

Suitable for:



HEAT INSULATION



Available in

Code


Code	Size	Thickness	Pallet QTY
QAU-EBT-01	1.2m x 1m (1.2m ²)	12mm	50 sheets

Thickness

9mm

E-Board Pro

Minimum order quantity 50 sheets / 1 pallet





Code	Size	Thickness	Pallet QTY
QAU-EBP-01	1.2m x 1m (1.2m ²)	15mm	50 sheets
















Acoustic Solutions Heavy Traffic جنيني المحتري المحتري المحتري المحتري المحتري المحتري المحتري المحتري المحتري					
	Density	Thickness	Impact Sound Reduction	Airborne Sound Insulation	Thermal Resistance
Product	kg/m³	mm	dB	dB	Tog Value
SoundBarrier		1	24		0.4
Regupol Sonus 3912	370 ± 5%	6	23	53	0.49
Regupol Sonus 4515 Multi 3mm	420 ± 5%	3	18		0.39
Regupol Sonus 4515 Multi 4.5mm	420 ± 5%	4.5	18		0.54
Regupol Sonus 4515 Eco 3mm	470 ± 5%	3	17		0.39
Regupol Sonus 4515 Eco 4.5mm	470 ± 5%	4.5	18		0.54
Quiet Roll Universal	145 - 220	2	On its own 17dB Under LVT 17dB Under laminate 20dB		0.53
Quiet Roll Standard 2mm	250 ± 5%	2	20		0.3
Quiet Roll Standard 5mm	250 ± 5%	5	20		0.8
E-Board Concrete		9	24	47	
E-Board Timber		12	22	49	
E-Board Pro		15	29	54	

All technical data provided in this publication is subject to variation. It is partly based on data from our suppliers and reflects the current level of industry expertise. It is not legally binding. Compliance with legal requirements remains the customer's own responsibility.



High quality MDF free-floating floor levelling system.

Jumpax Basic is an extremely quick and cost-effective way to level your sub floor when compared with the traditional methods of screeding or ply boarding the sub floor.

Easy does it

With a 3mm base and 4mm top board bound by a special interactive adhesive, Jumpax Basic is quick, clean and easy to install compared with traditional screeds. It preserves the sub-floor and allows you to lay the finished floor covering quicker, saving you time.

Smooth, stable and simply warmer finish

The system is ideal for creating a sub-floor layer over underfloor heating systems for a perfect finish ready for the floor covering – with very low thermal resistance (0.7 tog) to really let heat through.

Lightening the load


The lightweight MDF material means Jumpax Basic is a breeze to lift and manoeuvre, so with its quick and easy installation you'll really save time and effort.

Impact sound reduction

Jumpax Basic has the added benefit of providing a sound reduction of 21dB (when installed over QA TechniBoard underlay) – see page 27.











High quality plywood for all Flooring Grade applications.

QA Flooring Grade Plywood is a Class 3 Exterior plywood which is engineered to meet and exceed the requirements for Flooring Grade plywood as set out in BS8203:2017.

Quality first

QA Flooring Grade Plywood is manufactured from high quality Malaysian hardwood, making it extremely durable and resistant to indentation and therefore fit for the demands of any flooring installation.

Performance you can rely on

A strict quality control process is applied in production to remove any defective timber and ensure reliable quality, meaning you can have confidence that the product will do as it says on the tin.

Faster to fit

Each sheet has position markers for the screws or nails to be applied, removing the need to mark up the positions manually which saves you time and effort on installation and helps to get the job done faster.

Sustainably sourced

 \mbox{QA} Flooring Grade Plywood is produced using only PEFC certified timber, therefore supporting sustainably managed forests.

Please contact QA for installation guidelines and recommended screeds and adhesives








Flooring Grade Plywood

Code	Size	Thickness	Pallet QTY
QAA-PLY-01	2440mm x 1220mm (8' x 4')	5.5mm	150
QAA-PLY-02	1220mm x 1220mm (4' x 4')	5.5mm	150
QAA-PLY-03	2440mm x 1220mm (8' x 4')	9mm	100







As a professional, these are the things you simply can't do without.

The tools of your trade, the everyday items you rely on...and you can rely on QA to have a complete range of quality accessories that give you great value too.





Simply Better

To see the full range and colours available, scan the QR Code.



Standard Profiles

A range of quality silver, gold and matt black coloured screw-down profiles, sold in full box quantities, offering superb value.

Single Edge

Protects the carpet edge for a neat finish.


Available in

Code	Length	Qty per carton	Colour
QAA-SSE-S1	0.9m	45	Silver
QAA-SSE-G1	0.9m	45	Gold
QAA-SSE-B1	0.9m	45	Matt Black
QAA-SSE-S2	2.7m	15	Silver
QAA-SSE-G2	2.7m	15	Gold
QAA-SSE-B2	2.7m	15	Matt Black

Dual Grip

For a tidy, protected join between two carpets.

Code	Length	Qty per carton	Colour
QAA-SDG-S1	0.9m	45	Silver
QAA-SDG-G1	0.9m	45	Gold
QAA-SDG-B1	0.9m	45	Matt Black
QAA-SDG-S2	2.7m	15	Silver
QAA-SDG-G2	2.7m	15	Gold
QAA-SDG-B2	2.7m	15	Matt Black





Cover Strip

Covers and protects on a wide range of floor coverings. Pleated and fluted – Colour matched fixing screws are included with the profiles for where the screw heads would be visible.

Available in

Code	Length	Qty per carton	Colour
QAA-SCS-S1	0.9m	45	Silver
QAA-SCS-G1	0.9m	45	Gold
QAA-SCS-S2	2.7m	15	Silver
QAA-SCS-G2	2.7m	15	Gold




Carpet Cover Strip

Angled ribs underneath lock into the pile and pull the two carpets together as the strip's screwed to the floor. Suitable for all types of carpet. Colour matched fixing screws are included with the profiles for where the screw heads would be visible.

Available in


Code	Length	Qty per carton	Colour
QAA-SCC-S1	0.9m	45	Silver
QAA-SCC-G1	0.9m	45	Gold
QAA-SCC-S2	2.7m	15	Silver
QAA-SCC-G2	2.7m	15	Gold



Extra Wide Cover Strip

Perfect for covering difficult joins between any floor coverings – one of the widest designs on the market. Colour matched fixing screws are included with the profiles for where the screw heads would be visible.

Code	Length	Qty per carton	Colour
QAA-SWC-S2	2.7m	15	Silver
QAA-SWC-G2	2.7m	15	Gold




9mm Z Section

For a neat join where laminated smooth flooring meets carpet. Lightly tap on top of the strip with a rubber mallet after fitting for a snug fit to edges of floor coverings.

Available in

Code	Length	Qty per carton	Colour
QAA-SZS-S1	0.9m	45	Silver
QAA-SZS-G1	0.9m	45	Gold
QAA-SZS-B1	0.9m	45	Matt Black
QAA-SZS-S2	2.7m	15	Silver
QAA-SZS-G2	2.7m	15	Gold
QAA-SZS-B2	2.7m	15	Matt Black




14mm Z Section

A larger version of our Standard 9mm Z Section designed for thicker wood and carpet.

Available in

Code	Length	Qty per carton	Colour
QAA-SZP-S2	2.7m	10	Silver
QAA-SZP-G2	2.7m	10	Gold



B: 14mm C: 40mm

Vinyl Edge

Neatens and protects the edge of resilient vinyl floor coverings up to 4mm thick. Colour matched fixing screws are included with the profiles for where the screw heads would be visible.

Code	Length	Qty per carton	Colour
QAA-SVE-S1	0.9m	45	Silver
QAA-SVE-G1	0.9m	45	Gold
QAA-SVE-S2	2.7m	15	Silver
QAA-SVE-G2	2.7m	15	Gold





Simply Better

To see the full range and colours available, scan the QR Code.



Self-Adhesive Profiles


A fantastic collection of silver, gold and matt black coloured profiles, sold in full boxes. All products are self-adhesive for faster fitting and convenience.

8mm Angle Edge

For a smooth join to resilient floor coverings. Quick and easy to install.

Available in


Code	Length	Qty per carton	Colour
QAA-AAE-S1	0.9m	30	Matt Silver
QAA-AAE-G1	0.9m	30	Matt Gold
QAA-AAE-B1	0.9m	30	Matt Black
QAA-AAE-S2	2.7m	10	Matt Silver
QAA-AAE-G2	2.7m	10	Matt Gold
QAA-AAE-B2	2.7m	10	Matt Black



14mm Angle Edge

A 14mm version of the Self Adhesive 8mm Angle Edge.

Code	Length	Qty per carton	Colour
QAA-AAN-S2	2.7m	10	Matt Silver
QAA-AAN-G2	2.7m	10	Matt Gold



20mm Angle Edge

The largest version of our Self Adhesive 8mm Angle Edge.

Available in

Code	Length	Qty per carton	Colour
QAA-AAX-S2	2.7m	10	Matt Silver
QAA-AAX-G2	2.7m	10	Matt Gold




A: 53.5mm B: 22mm

Euro Cover Strip

A high quality, easy to install cover strip for most floor coverings of equal level.

Available in

Code	Length	Qty per carton	Colour
QAA-AEC-S1	0.9m	30	Matt Silver
QAA-AEC-G1	0.9m	30	Matt Gold
QAA-AEC-B1	0.9m	30	Matt Black
QAA-AEC-S2	2.7m	10	Matt Silver
QAA-AEC-G2	2.7m	10	Matt Gold
QAA-AEC-B2	2.7m	10	Matt Black



9mm Nosing

A quick and easy to use choice for wood/laminate. Ideal for a neat finish.

Code	Length	Qty per carton	Colour
QAA-ANO-S1	0.9m	30	Matt Silver
QAA-ANO-G1	0.9m	30	Matt Gold
QAA-ANO-B1	0.9m	30	Matt Black
QAA-ANO-S2	2.7m	10	Matt Silver
QAA-ANO-G2	2.7m	10	Matt Gold
QAA-ANO-B2	2.7m	10	Matt Black




15mm Nosing

An ideal choice for wood/laminate, with the advantage of quick and easy self adhesive fixing.

Available in


Code	Length	Qty per carton	Colour
QAA-ANX-S2	2.7m	10	Matt Silver
QAA-ANX-G2	2.7m	10	Matt Gold



20mm Nosing

A larger version of our 9mm and 15mm Nosings.

Code	Length	Qty per carton	Colour
QAA-ANZ-S2	2.7m	10	Matt Silver
QAA-ANZ-G2	2.7m	10	Matt Gold





Choose our Specialist range for fantastic quality combined with faster fitting. All profiles in this collection are self-adhesive and are available in either single lengths or full boxes. Offering a wide variety of wood colour options, with certified AC3 rating for scratch resistance, to provide the perfect solution for that finishing touch to a new floor.

2mm – 18mm Adjustable Ramp

Available in

Code	Length	Qty per carton	Colour
QAA-FAR-01	0.9m	15	Brushed Steel
QAA-FAR-02	0.9m	15	Matt Silver
QAA-FAR-03	0.9m	15	Matt Gold
QAA-FAR-04	0.9m	15	Light Oak
QAA-FAR-05	0.9m	15	Dark Oak
QAA-FAR-06	0.9m	15	Country Oak
QAA-FAR-07	0.9m	15	Grey Oak
QAA-FAR-08	0.9m	15	Beige Grey Oak
QAA-FAR-09	0.9m	15	Tigua
QAA-FAR-10	0.9m	15	Oak Créme
QAA-FAR-11	0.9m	15	Light Grey Oak
QAA-FAR-12	0.9m	15	Walnut





To see the full range and colours available, scan the QR Code.

Adjustable Ramp 0.9m

Available in

Code	Length	Qty per carton	Colour
QAA-FAR-13	2.7m	10	Matt Silver
QAA-FAR-14	2.7m	10	Matt Gold
QAA-FAR-15	2.7m	10	Brushed Steel
QAA-FAR-16	2.7m	10	Light Oak
QAA-FAR-17	2.7m	10	Dark Oak
QAA-FAR-18	2.7m	10	Country Oak
QAA-FAR-19	2.7m	10	Grey Oak
QAA-FAR-20	2.7m	10	Beige Grey Oak
QAA-FAR-21	2.7m	10	Tigua
QAA-FAR-22	2.7m	10	Oak Créme
QAA-FAR-23	2.7m	10	Light Grey Oak
QAA-FAR-24	2.7m	10	Walnut



15mm Nosing

An ideal choice for wood/laminate, with the advantage of quick and easy self adhesive fixing.


Available in

Code	Length	Qty per carton	Colour
QAA-ANX-S2	2.7m	10	Matt Silver
QAA-ANX-G2	2.7m	10	Matt Gold

20mm Nosing

A larger version of our 9mm and 15mm Nosings.

Code	Length	Qty per carton	Colour
QAA-ANZ-S2	2.7m	10	Matt Silver
QAA-ANZ-G2	2.7m	10	Matt Gold



10mm End Section - 0.9m


Available in

Code	Length	Qty per carton	Colour
QAA-FES-01	0.9m	15	Matt Silver
QAA-FES-02	0.9m	15	Matt Gold
QAA-FES-03	0.9m	15	Brushed Steel
QAA-FES-04	0.9m	15	Light Oak
QAA-FES-05	0.9m	15	Dark Oak
QAA-FES-06	0.9m	15	Country Oak
QAA-FES-07	0.9m	15	Grey Oak
QAA-FES-08	0.9m	15	Beige Grey Oak
QAA-FES-09	0.9m	15	Tigua
QAA-FES-10	0.9m	15	Oak Créme
QAA-FES-11	0.9m	15	Light Grey Oak
QAA-FES-12	0.9m	15	Walnut



10mm End Section - 2.7m


Code	Length	Qty per carton	Colour
QAA-FES-13	2.7m	10	Matt Silver
QAA-FES-14	2.7m	10	Matt Gold
QAA-FES-15	2.7m	10	Brushed Steel
QAA-FES-16	2.7m	10	Light Oak
QAA-FES-17	2.7m	10	Dark Oak
QAA-FES-18	2.7m	10	Country Oak
QAA-FES-19	2.7m	10	Grey Oak
QAA-FES-20	2.7m	10	Beige Grey Oak
QAA-FES-21	2.7m	10	Tigua
QAA-FES-22	2.7m	10	Oak Créme
QAA-FES-23	2.7m	10	Light Grey Oak
QAA-FES-24	2.7m	10	Walnut



20mm Stair Nosing - 0.9m

Available in

Code	Length	Qty per carton	Colour
QAA-FSN-01	0.9m	15	Matt Silver
QAA-FSN-02	0.9m	15	Matt Gold
QAA-FSN-03	0.9m	15	Brushed Steel
QAA-FSN-04	0.9m	15	Light Oak
QAA-FSN-05	0.9m	15	Dark Oak
QAA-FSN-06	0.9m	15	Country Oak
QAA-FSN-07	0.9m	15	Grey Oak
QAA-FSN-08	0.9m	15	Beige Grey Oak
QAA-FSN-09	0.9m	15	Tigua
QAA-FSN-10	0.9m	15	Oak Créme
QAA-FSN-11	0.9m	15	Light Grey Oak
QAA-FSN-12	0.9m	15	Walnut



20mm Stair Nosing - 2.7m

Code	Length	Qty per carton	Colour
QAA-FSN-15	2.7m	10	Matt Silver
QAA-FSN-13	2.7m	10	Matt Gold
QAA-FSN-14	2.7m	10	Brushed Steel
QAA-FSN-16	2.7m	10	Light Oak
QAA-FSN-17	2.7m	10	Dark Oak
QAA-FSN-18	2.7m	10	Country Oak
QAA-FSN-19	2.7m	10	Beige Grey Oak
QAA-FSN-20	2.7m	10	Tigua
QAA-FSN-21	2.7m	10	Oak Créme
QAA-FSN-22	2.7m	10	Light Grey Oak
QAA-FSN-23	2.7m	10	Grey Oak
QAA-FSN-24	2.7m	10	Walnut



ZSection

For a neat join where laminated smooth flooring meets carpet. Lightly tap on top of the strip with a rubber mallet after fitting for a snug fit to edges of floor coverings.

Available in

/ Wallable III			
Code	Length	Qty per carton	Colour
QAA-FZS-01	0.9m	15	Matt Silver
QAA-FZS-02	0.9m	15	Matt Gold
QAA-FZS-03	0.9m	15	Brushed Steel
QAA-FZS-04	0.9m	15	Light Oak
QAA-FZS-05	0.9m	15	Dark Oak
QAA-FZS-06	0.9m	15	Country Oak
QAA-FZS-07	0.9m	15	Grey Oak
QAA-FZS-08	0.9m	15	Light Grey Oak
QAA-FZS-09	0.9m	15	Walnut
QAA-FZS-19	0.9m	15	Beige Grey Oak
QAA-FZS-21	0.9m	15	Tigua
QAA-FZS-23	0.9m	15	Oak Crème



Code	Length	Qty per carton	Colour
QAA-FZS-10	2.7m	10	Matt Silver
QAA-FZS-11	2.7m	10	Matt Gold
QAA-FZS-12	2.7m	10	Brushed Steel
QAA-FZS-13	2.7m	10	Light Oak
QAA-FZS-14	2.7m	10	Dark Oak
QAA-FZS-15	2.7m	10	Country Oak
QAA-FZS-16	2.7m	10	Grey Oak
QAA-FZS-17	2.7m	10	Light Grey Oak
QAA-FZS-18	2.7m	10	Walnut
QAA-FZS-20	2.7m	10	Beige Grey Oak
QAA-FZS-22	2.7m	10	Tigua
QAA-FZS-24	2.7m	10	Oak Crème





Simply Better

Simply Better

Specialist Profiles

LVT Transition Profile

The new QA LVT Transition Profile is the perfect solution for concealing joins between 2 different LVT floors of the same height, as well as expansion breaks in floating floors, across doorways, and floors covering large surface areas. By inserting a strip of the actual colour LVT being fitted, into the profile channel, this ensures only a neat tramline is visible giving a much smarter, more premium finish than a coloured profile. The new QA LVT Transition Profile is self-adhesive for an easy, clean installation.


For the QA LVT Transition Profile, the insert strip must be made from a dryback version of your chosen Click LVT décor (Luvanto Range). To ensure a perfect match and premium finish, ask your sales representative or contact our customer service team to request the corresponding dryback plank for your installation.

2 Sizes available:

QAA-LTS-S1 LVT Transition Self Adhesive 45 lengths per box x 0.9m

QAA-ITS-S2 LVT Transition Self Adhesive 15 lengths per tube x 2.7m

Also available in single lengths.



LVT strip not included





Add that extra touch of finesse to your installations with our range of exquisite Premium Profiles available in Chrome, Black Nickel and Brushed finishes.

Superior quality, premium finish profiles for luxury installations that require the best. Available in a selection of indulgent metal colour options – Chrome, Black Nickel and Brushed – and a combination of screw down and self-adhesive applications.

To see the full range and colours available, scan the QR Code.



Available in full boxes and single lengths.

Dual Grip

Screw down fixture for a tidy, protected join between two carpets. Available in single lengths or tubes of 5 lengths.


Available in

Code	Length	Qty per carton	Colour
QAA-PDG-01	0.9m	5	Chrome
QAA-PDG-02	2.7m	5	Chrome
QAA-PDG-03	0.9m	5	Black Nickel
QAA-PDG-04	2.7m	5	Black Nickel
QAA-PDG-05	0.9m	5	Brushed
QAA-PDG-06	2.7m	5	Brushed









Single Edge

Screw down fixture – Protects the carpet edge for a neat finish. Available in single lengths or tubes of 5 lengths.


Available in

Code	Length	Qty per carton	Colour
QAA-PSE-01	0.9m	5	Chrome
QAA-PSE-02	2.7m	5	Chrome
QAA-PSE-03	0.9m	5	Black Nickel
QAA-PSE-04	2.7m	5	Black Nickel
QAA-PSE-05	0.9m	5	Brushed
QAA-PSE-06	2.7m	5	Brushed









D: 15mm

Adjustable Ramp


Self-adhesive fixture used to conceal height differences between two floor coverings.

Available in single lengths or tubes of 5 lengths.

Code	Length	Qty per carton	Colour
QAA-PAR-01	0.9m	5	Chrome
QAA-PAR-02	2.7m	5	Chrome
QAA-PAR-03	0.9m	5	Black Nickel
QAA-PAR-04	2.7m	5	Black Nickel
QAA-PAR-05	0.9m	5	Brushed
QAA-PAR-06	2.7m	5	Brushed









Z-Section

Screw down fixture for a neat join where laminated smooth flooring meets carpet. Lightly tap on top of the strip with a rubber mallet after fitting for a snug fit to edges of floor coverings. Available in single lengths or tubes of 5 lengths.

Code	Length	Qty per carton	Colour
QAA-PZS-01	0.9m	5	Chrome
QAA-PZS-02	2.7m	5	Chrome
QAA-PZS-03	0.9m	5	Black Nickel
QAA-PZS-04	2.7m	5	Black Nickel
QAA-PZS-05	0.9m	5	Brushed
QAA-PZS-06	2.7m	5	Brushed









Euro Cover Strip

Self adhesive fixture – A high quality, easy to install cover strip for most floor coverings of equal level. Available in single lengths or tubes of 5 lengths.

Code	Length	Qty per carton	Colour
QAA-PEC-01	0.9m	5	Chrome
QAA-PEC-02	2.7m	5	Chrome
QAA-PEC-03	0.9m	5	Black Nickel
QAA-PEC-04	2.7m	5	Black Nickel
QAA-PEC-05	0.9m	5	Brushed
QAA-PEC-06	2.7m	5	Brushed











Simply Better

Scotia Beading

Scotia

Bridges the expansion gaps on laminate, engineered, and solid wood floors for a truly professional finish.











Did You Know?

You can paint our White Scotia (QAA-SCH-31) any colour you choose to match the colour of your skirting boards.

Available in

Code	Length	Qty per carton	Colour
QAA-SCH-01	2.4m	50	Almond Oak
QAA-SCH-02	2.4m	50	Antique Oak
QAA-SCH-03	2.4m	50	Arctic Oak
QAA-SCH-04	2.4m	50	Bedrock Oak
QAA-SCH-05	2.4m	50	Boulder Oak
QAA-SCH-06	2.4m	50	Castello Oak
QAA-SCH-07	2.4m	50	Corsica Oak
QAA-SCH-08	2.4m	50	Dark Planked Oak 112
QAA-SCH-09	2.4m	50	Dark Varnished Oak Planks 293
QAA-SCH-10	2.4m	50	Fiji Oak
QAA-SCH-11	2.4m	50	Frosted Oak
QAA-SCH-12	2.4m	50	Ginger Oak
QAA-SCH-13	2.4m	50	Granite
QAA-SCH-14	2.4m	50	Harvest Oak
QAA-SCH-15	2.4m	50	Light Varnished Oak
QAA-SCH-16	2.4m	50	Lofoten Walnut
QAA-SCH-17	2.4m	50	Loxley Oak
QAA-SCH-18	2.4m	50	Magnolia Oak
QAA-SCH-19	2.4m	50	Natural Oiled Oak
QAA-SCH-20	2.4m	50	Oak 654493
QAA-SCH-21	2.4m	50	Oak FOEI03
QAA-SCH-22	2.4m	50	Oak FOEI032
QAA-SCH-23	2.4m	50	Old Grey Planked Oak
QAA-SCH-24	2.4m	50	Poppy Oak
QAA-SCH-25	2.4m	50	Prestige Oak
QAA-SCH-26	2.4m	50	Slate
QAA-SCH-27	2.4m	50	Titanium Oak
QAA-SCH-28	2.4m	50	Varnished White Oak
QAA-SCH-29	2.4m	50	Virginia Chestnut
QAA-SCH-30	2.4m	50	Virginia Walnut
QAA-SCH-31	2.4m	50	White
QAA-SCH-32	2.4m	50	White Oak
QAA-SCH-33	2.4m	50	Worn Oak
QAA-SCH-34	2.4m	50	Washed Grey Oak
QAA-SCH-35	2.4m	50	Walnut
QAA-SCH-36	2.4m	50	Washed Light Grey
SKU QAA-SCW-WH	2.4m	20	White Waterproof Scotia



Available in full boxes only.



Simply Better

Standard Gripper

QA Standard Gripper offers premium performance with variants to suit every carpet and subfloor, domestic and contract use. With a pronounced bevel edge for an easy and consistent roll edge finish, it's made from high quality 6.5mm deep x 20mm wide 5-ply plywood with zinc plated nails and galvanised pins – giving exceptional carpet holding strength.

3 Floor Nail Specifications

Dual Purpose Nail, Concrete Nail, Wood Nail Gripper. 2 Pin Heights. Short Pin 3.2 mm (1/8") – for cord carpeting and some low tuft carpets. Medium Pin 4.8 mm (3/6") – the more usual pin length, suitable for most types of carpet.

Standard Dual Purpose Gripper

Pre-nailed with dual purpose nails for wood and concrete subfloors.

Standard Concrete Nail Gripper

Pre-nailed with masonry nails, specially designed for ease and speed of installation and an exceptionally strong fixing on concrete subfloors.

Standard Wood Nail Gripper

Pre-nailed with specially tempered nails (threaded for ultimate holding power), for easy, fast installation on board and suspended timber subfloors.

Code	Nail	Pin Height	Size	Boxed	Pallet QTY
QAA-GST-DS	Dual	Short	5ft	500ft/box	50 boxes/pallet
QAA-GST-DN	Dual	Medium	5ft	500ft/box	50 boxes/pallet
QAA-GST-CN	Concrete	Medium	5ft	500ft/box	50 boxes/pallet
QAA-GST-WN	Wood	Medium	5ft	500ft/box	50 boxes/pallet





Rated the best by fitters.

Premium Gripper from QA Flooring Solutions is regarded by many fitters as their favourite choice when it comes to using a top-of-the-range gripper product. QA Premium Gripper is suitable for all types of luxury carpet installation and is ideal for high quality carpets. QA Premium Gripper has 50% more pins per length than our QA Standard Gripper and is 6.5mm deep x 30mm wide – giving better strength and stability so you can be sure that the installation will be perfect and trouble free every time. QA Premium Gripper is available in all nail options – dual purpose, wood and concrete. It comes in 5ft lengths and 400ft per box.

Premium Dual Purpose Gripper

Pre-nailed with dual purpose nails for wood and concrete subfloors.

Premium Concrete Nail Gripper

Pre-nailed with masonry nails, specially designed for ease and speed of installation and an exceptionally strong fixing on concrete subfloors.

Premium Wood Nail Gripper

Pre-nailed with specially tempered nails (threaded for ultimate holding power), for easy, fast installation on board and suspended timber subfloors.







QA Deep Base Gripper is ideal for installations with thicker underlays (10-12mm) which prevents any dips forming around the perimeter of the room. This extra thick carpet gripper ensures a stronger hold to your carpets.

Deep Base Specifications

Our extra deep gripper is 9mm high instead of standard 6.5mm this will help to reduce any height difference. Available in medium pin – nails and pins are 4mm longer to allow for the extra thickness of the wood.

All QA gripper is made from high quality 5-ply plywood with zinc plated nails and galvanised pins – giving exceptional carpet holding strength.





Code	Nail	Pin Height	Size	Boxed	Pallet QTY
QAA-GED-CN	Concrete	Medium	5ft	500ft/box	35 boxes/pallet
QAA-GED-WN	Wood	Medium	5ft	500ft/box	35 boxes/pallet



A choice of adhesives for a variety of different applications.

Heavy Duty Spray Adhesive

Suitable for most flooring applications including carpets, carpet tiles, underlays and textiles. Sticks to timber, chipboard, ceramic, stone, concrete, masonry, metals, most plastics, glass and rubber.

Available in

Code	Can Content	Box Quantity	Pallet QTY
QAA-ADH-SA	500ml	12 cans	144 boxes



Strong Grip Gripper Adhesive

A high quality, gunnable adhesive – ideal for gap filling, fixing stair nosings, door strips and carpet grippers to most flooring surfaces and refitting skirting boards and covings. The approximate curing time is 24 hours.

Available in

Code	Can Content	Box Quantity	Pallet QTY
QAA-ADH-GA	350ml	12 tubes	48 boxes



Fast Set Super Gripper Adhesive

A powerful, fast-setting, polyurethane adhesive ideal for fixing stair nosings, door strips, and carpet grippers to most floor surfaces. Exceptionally fast initial grab, with skin formation time of approx. 3 minutes and a setting time of 8 to 10 minutes.

Code	Can Content	Box Quantity	Pallet QTY
QAA-ADH-FG	350ml	12 tubes	48 boxes





Our Tapes are specially designed to give a strong, stable fixing that exceeds British Standards for various types of carpets and installations.

Gold Heatseam Tape

Perfect for conventional woven or secondary jute back carpets in light traffic areas – the metallised gold foil backing reduces heat loss into the floor, melting the adhesive more rapidly for faster seaming. It also slows down adhesive cooling giving you more time for pattern matching and allowing better control at lower temperatures for sensitive carpet piles and backings.



Code	Size	Box Quantity
QAA-TAP-GO	101.6mm x 20m	10 rolls



Double Sided Tape

Heavy duty double sided tape for securing felt backed carpets and other floor covering

Available in

Code	Size	Box Quantity
QAA-TAP-DS	50mm x 50m	24 rolls

Anti Plas Tape

Special double sided tape for vinyl flooring that doesn't allow adhesive from the tape to transfer to the vinyl (unlike standard Double Sided Tape).

Code	Size	Box Quantity
QAA-TAP-AP	50mm x 50m	24 rolls





Vapour Tape

A self adhesive seaming tape that creates an effective moisture barrier with improved joint seal protection and also strengthens underlay joints.

Available in

Code	Size	Box Quantity
QAA-TAP-AV	75mm x 25m	20 rolls



Barrier Jointing Tape

A jointing tape that can be used with the Barrier wood underlays for added joint seal protection and also giving the underlay extra strength and stability.

Code	Size	Box Quantity
QAA-TAP-BA	50mm x 15m	50 rolls





Simply Better

Tools - General Purpose

A range of premium quality tools for everyday general use.

Shark Knife

A general purpose safety knife featuring ergonomic hand protection and easy blade access. Comes complete with strong plastic holster and belt clip.

Available in

Code	Quantity
QAA-TOG-DK	1



Steel Blades

Packed in strong plastic boxes for extra safety.

Available in

Code	Туре	Box QTY
QAA-TOG-HD	Heavy Duty Straight Edge	100 per box
QAA-TOG-HO	Hooked	100 per box
QAA-TOG-CO	Concave	100 per box



Gripper Shears

A premium strength steel shear for easy cutting of all grades of carpet and tack strip. Spare blades and anvils available.

Code	Quantity
QAA-TOG-GS	1





Small Damp-Proof Polythene Membrane

Highly resistant to puncturing and suitable for use with underfloor heating systems, this protects against damp from concrete subfloors. It can be used either as an oversite membrane between a blinded hardcore bed and base concrete, or as a sandwich membrane in base concrete or between it and the screed.



Available in

Code	Size	Gauge	Pack QTY	Pallet QTY
QAA-DPM-SC	2m x 5m (10m ²)	1000G	1	125

Water Vapour Barrier

The perfect extra protection under wood flooring, this puncture-resistant barrier comes in a handy multifold pack and can be used with underfloor heating systems.

Code	Size	Gauge	Pack QTY	Pallet QTY
QAA-DPM-VB	5m x 4m (20m²)	600G	5 per Box	180 Packs





Handywrap and Dispenser

Ideal for stretch wrapping loose bundles of products or carpet rolls, rugs and scotia, for example. Dispenser available for easier handling.

Available in

Code	Size	Box QTY
QAA-PAC-HW	100mm x 300m x 15 micron	30 rolls
QAA-PAC-HD	Handywrap Dispenser	1



Palletwrap

Heavy duty, maximum strength wrap for protecting and stabilising palletised items. Available in clear and black.

Code	Size	Box QTY
QAA-PAC-PW	400mm x 300m x 17micron	6 rolls





QA Flooring Solutions Ltd

Unit 2, Hurricane Drive, Liverpool, L24 8RL Tel: 0151 495 3434 Email: sales@qaflooringsolutions.com

www.qaflooringsolutions.com